


RElift

MAKE THE DIFFERENCE



www.relift.in | Info@relift.in

SELF PROPELLED VERTICAL MAST

- **RE10VM**
- **RE11VM**
- **RE12VM**



MODEL	RE10VM	RE11VM	RE12VM
TECHNICAL DATA			
Max. Working Height	10.00 m	11.2 m	12.65 m
Max. Platform Height	8.00 m	9.2 m	10.65 m
Max. Horizontal Reach	3.51 m	3.0 m	6.05 m
Overall Length	2.78 m	7.89 m	3.72 m
Overall Width	1.00 m	1.1 m	1.2 m
Overall Height (Stowed)	1.98 m	2.53 m	1.98 m
Platform Dimension	0.8 × 0.93 m	0.62 × 0.87 m	0.8 × 0.93 m
Ground Clearance (Stowed)	85 mm	70 mm	80 mm
Ground Clearance (Raised)	85 mm	70 mm	80 mm
Wheelbase	1.2 m	1.22 m	1.55 m
Loading Capacity	200 kg	200 kg	200 kg
Occupants	2	2	2
Turret Rotation	356°	345°	352°
Max Working Slope	X-2° / Y-2°	13°	X-2° / Y-2°
Travel Speed (Stowed)	4.5 km/h	4.5 km/h	3.6 km/h
Travel Speed (Raised)	0.8 km/h	0.5 km/h	0.7 km/h
Gradeability	0.25	X-2° / Y-2°	0.3
Tyre	Φ406 × 125 mm	Φ381 × 127 mm	Φ406 × 178 mm
Driving Motor	15V / 0.9 kW	24V / 0.9 kW	32V / 3.3 kW
Lifting Motor	24V / 3 kW	24V / 3 kW	48V / 3 kW
Battery	24V / 220Ah	24V / 240Ah	48V / 260Ah
Charger	24V / 30A	24V / 30A	48V / 35A
Weight	2850 kg	2950 kg	4980 kg



RElift

MAKE THE DIFFERENCE

HEADQUARTERS

Office No. 103, 104 Plan S Business Park, Plot no D 108/1, opp. D.Y.Patil Stadium, MIDC Industrial Area, Nerul, Navi Mumbai, Maharashtra 400705
Mobile : +91- 7456025602



MEMBER OF

APAO

Aerial Platform Association of India

www.relift.in | Info@relift.in